National Hose Testing Specialties, Inc.

Western Division
P.O. Box 1024 - Dallas, OR 97338 (503) 623-9422

Prepared on: October 8, 2026

EAST COUNTY FIRE & RESCUE

Dept. ID: WA294 State: WASHINGTON

Dear Valued Customer,

Here is a brief description of the services and pricing that NHTS is offering.

Description	Rates	Quantity Estimates	Total Cost Estimates
Fire Hose Testing – Unload, inspect, pressure test, re-roll, and ***department*** re-loads all fire hoses. Documentation provided for your records.	$.31 (cents/foot)	18,585 (feet)	$5,761.35
Ground Ladder Testing – Conduct physical inspection, horizontal bending test, roof hook test, and hardware test. Input and install heat sensors as needed. Documentation provided for your records.	$2.50 (per/foot)	289(feet)	$722.50
Heat Sensor Labels – Labels to be applied as needed. (Worn, missing, or expired)	$2.00 (each)	N/A	$0.00
Nozzle and Appliance Hydrostatic Testing - hydrostatic pressure test, conduct physical inspections and provide test documentation for your records.	$10.00 (each)	25	$250.00
Pump Testing - $250.00/PER PUMP $100.00/PER HOUR TRAVEL			

FOR SCHEDULING PURPOSES, PLEASE CONFIRM QUANTITY ESTIMATES ARE CORRECT.

We appreciate your business and look forward to being of service to your department.
Sincerely,

Tom Moore

Tom Moore, Chief of Operations
National Hose Testing Specialties, Inc.

PLEASE SEE THE ATTACHED "DEPARTMENT IFORMATION SHEET"

National Hose Testing Specialties, Inc.

Western Division
P.O. Box 1024 - Dallas, OR 97338 (503) 623-9422

DEPARTMENT INFORMATION SHEET

Please return the signed agreement(s) and <u>THIS</u> completed page to:

Mail: National Hose Testing Specialties, Inc.
P.O. Box 1024
Dallas, OR 97338

or

Fax: (503) 623-7424

or

Email: nancy@nhts.com

Department Name:	**EAST COUNTY FIRE & RESCUE**
Fire Chief:	Steve Black
Phone:	360-834-4908
Email:	sblack@ecfr.us
Primary Contact for Services/Scheduling:	Cody Parry
Title:	Firefighter
Contact Telephone #1:	360-834-4908
Contact Telephone #2:	
Contact Email:	cparry@ecfr.us
Test Site Address:	600 NE 267th Ave.
City/State:	Camas, WA 98607
Send Invoices to the Attention:	Teresa Guard
Email Address:	tguard@ecfr.us
Contact Telephone #:	360-834-4908
Send Documentation to the Attention:	Cody Parry / Teresa Guard
Email Address:	cparry@ecfr.us / tguard@ecfr.us
Contact Telephone #:	360-834-4908
Optional Info:	John Prasch
Additional Email:	jprasch@ecfr.us
Department Website:	ecfr.us
Additional Contact (1) and Telephone #:	
Additional Contact (2) and Telephone #:	

PO # (if applicable) _____

<u>Payment:</u> Full payment is due upon delivery by NHTS, Inc. of its final test documentation. A **Convenience Fee of 2.5%** will be assessed on the <u>total</u> payment amount for **credit & debit transactions**.

<u>Acceptance</u>

Please review, sign and send the agreement(s) for the services you wish to schedule, <u>unless</u> you are currently in a multi-year agreement. We will contact you to set up a test date and discuss any further questions you may have.

National Hose Testing Specialties, Inc.

2027 FIRE HOSE TESTING AGREEMENT

Date issued: October 8, 2026

Dept. ID # WA294

This agreement is entered into by and between National Hose Testing Specialties, Inc., a corporation (hereinafter known as, **National**) and **"EAST COUNTY FIRE & RESCUE",** a municipal corporation, district or political subdivision of the State of WASHINGTON (hereinafter known as, **Department**).

THIS DOCUMENT MUST BE SIGNED AND RETURNED PRIOR TO YOUR SERVICE TEST DATE.

1. **Department** hereby engages **National** and **National** agrees to unload, pressure test, re-load, conduct physical inspections and to provide test documentation on the fire hoses of **Department** per **Department's** Special Instructions, if any, and according to the National Fire Protection Association 1930 Standard on Fire and Emergency Service Use of Thermal Imagers, Two-Way Portable RF Voice Communication Devices, Ground Ladders, Rescue Tools, Fire Hose, and Fire Hose Appliances, Edition 2025, or current edition (hereinafter known as, NFPA Standard).
   a. **National** shall conduct a physical inspection, prior to pressure testing, as specified in the NFPA Standard. All hoses failing physical inspection shall be identified and tagged for removal from service, without being pressure tested. **Department** shall be responsible to store or discard any hose tagged by **National.** If **Department** elects to place back into service any hose tagged by **National**, **Department** shall be responsible for service testing the hose prior to placing it back into service**.**
   b. **National** shall conduct service pressure test in accordance with Chapter 22 of NFPA Standard, 2025 Edition.
   c. **National** shall service test all attack fire hose to a minimum of 300 psi and all supply fire hose to a minimum of 200 psi regardless of manufactured date unless specified differently by **Department.** See "**Department's** Special Instructions" for requested test pressure changes. **National** shall not test any hoses higher than 400 psi, this being agreed with the **Department**, by the signing of this agreement.
   d. **National** shall inspect all apparatus after completion of testing and reloading for accuracy as found or requested by department prior to releasing to **Department.**
   e. **Department** shall inspect all hose loads and connections on all apparatus prior to placing back into service.
   f. **National**, within thirty (30) days of completed service, shall deliver to **Department** final test documentation. Documentation provided electronically, to include date of test, service test pressure, diameter, length, hose identification number, and test results as to each length of hose. A hard copy of summary reports for all hoses tested, available upon request.
   g. **National** shall provide hydrostatic equipment required to perform **Department's** hose test.
   h. **Department** shall provide **National** a suitable location for performance of the service test. The location shall include an adequate water source for **National's** hydrostatic equipment, which water shall be provided by **Department**.
   i. **Department** shall make available to **National** all hoses to be tested at the time and place established for the conduct of the service testing and shall disclose to **National** any known defects or dangerous conditions therein.
   j. **Department** will assemble any specialty hose packs (i.e., gnass packs, forestry packs) following testing by **National**.
2. The service test date(s) will be established by agreement between the parties.
3. Based on the footage estimate provided, **Department** agrees to pay **National** $.31 cents per foot, times 18,585 feet; with actual hose tested per documentation being used for billing which may increase or decrease final invoice.
4. Fire hoses handled by **National** that are to be removed from apparatus or service at the **Department's** request due to age or other factors and not pressure tested will be subject to 14 cents per foot handling fee. Full payment is due upon delivery by **National** of its final test documentation.
5. To the extent of any limitation on liability for public bodies under state law, **Department** agrees to release and to defend, indemnify and hold **National** harmless from any claims, liabilities, demands, damages or actions for property damage, personal injury or death, and any claims incident thereto, including attorney fees and costs incurred in defense thereof, arising out of or relating to the failure for any reason of any hose tested and certified by **National** unless it can be established by clear and convincing evidence that **National** breached its obligation to test said hose and accurately report the result thereof in accordance with the terms of this contract and that said hose was not, as of the date tested, in fact capable of withstanding the standard test pressure established by the said NFPA Standard when tested according to the procedures therein.
6. In the event of suit or litigation arising out of or relating to this agreement, the prevailing party in such action shall be entitled to recover judgment for its reasonable attorney fees as may be awarded by the Court in which such suit or action is tried, heard, or decided, and any appeal there from.

   DEPARTMENT'S SPECIAL INSTRUCTIONS: _____
7. **National** will not be bound by any of the Department's Special Instructions unless it has agreed to be bound and signed or initialed the Special Instructions prior to testing. If agreed, **National** shall return an initialed copy to the **Department.**

Dated: October 8, 2026

NATIONAL HOSE TESTING SPECIALTIES, INC.

Bob Evans

Bob Evans, President

DATED: 10/08/2026

AUTHORIZED DEPARTMENT REPRESENTATIVE

Signature: SBlack

Title: Fire Chief

Return to: National Hose Testing Specialties, Inc., P.O. Box 1024, Dallas, OR 97338 *or fax to* (503) 623-7424 *or email to* nancy@nhts.com

Note: The terms of this agreement are void if not signed and returned within three months of date of issue (sign & submit copy to National).

A ***Convenience Fee of 2.5%*** will be assessed on the total payment amount for ***credit & debit transactions***.

National Hose Testing Specialties, Inc.

2027 GROUND LADDER TESTING AGREEMENT

Date issued: October 8, 2026

Dept. ID # WA294

This agreement is entered into by and between National Hose Testing Specialties, Inc., a corporation (hereinafter known as, **National**) and **"EAST COUNTY FIRE & RESCUE"** a municipal corporation, district or political subdivision of the State of WASHINGTON (hereinafter known as, **Department**).

THIS DOCUMENT MUST BE SIGNED AND RETURNED PRIOR TO YOUR SERVICE TEST DATE.

2. **Department** hereby engages **National** and **National** agrees to conduct physical inspection, horizontal bending test, roof hook test, hardware test, and to provide test documentation on the ground ladders of **Department**, per **Department's** Special Instructions (if any) and according to the National Fire Protection Association 1930 Standard on Fire and Emergency Service Use of Thermal Imagers, Two-Way Portable RF Voice Communication Devices, Ground Ladders, Rescue Tools, Fire Hose, and Fire Hose Appliances, Edition 2025, or current edition (hereinafter known as, NFPA Standard).

   a. **National** shall conduct a visual inspection, as specified in Chapter 16.1.3 of NFPA Standard. All ladders failing visual inspection shall be tagged for removal of service or repaired by **Department**.

   b. **National** shall conduct service testing in accordance with Chapter 17 of NFPA Standard. Service testing will be as specified in Chapters 17.2, 17.3, and 17.4 of NFPA Standard unless **Department** specifies altered service testing. (See **Department's** Special Instructions).

   c. **National** shall inspect and replace heat sensors as in Chapter 16.2.10.1.

   d. **National,** within thirty - (30) days of completed service, shall deliver to **Department** final test documentation. Documentation to include but not limited to the Ground Ladder record information as in Chapter 17.1.7. Documentation provided electronically includes summary reports for all ground ladders tested and in inventory. Hard copy and CD available upon request.

   e. **National** shall provide service-testing equipment required to perform **Department's** ground ladder service test.

   f. **Department** shall provide **National** a suitable location for performance of the service test.

   g. **Department** shall make available to **National** all ground ladders to be tested at the time and place established for the conduct of the service testing and shall disclose to **National** any known defects or dangerous conditions therein.

   h. **Department** shall be responsible for all repairs deemed necessary in accordance with the manufacturer's instructions, as specified in Chapter 16.1.4.2 of NFPA Standard.

   i. **National** shall inspect all apparatus after completion of testing and reloading for accuracy as found or requested by department prior to releasing to **Department.**

   j. **Department** shall inspect all apparatus prior to placing back into service.

2. The service test date(s) will be established by agreement between the parties.

3. Based on the footage estimate provided, **Department** agrees to pay **National** $2.50 per foot, times 289 feet; with actual footage tested per documentation being used for billing. Full payment is due upon delivery of final test documentation by **National.**

4. **Department** agrees to pay **National** for heat sensor labels installed based on the following cost each: $2.00 per label plus any state and local sales tax as required.

5. To the extent of any limitation on liability for public bodies under state law, **Department** agrees to release and to defend, indemnify and hold **National** harmless from any claims, liabilities, demands, damages or actions for property damage, personal injury or death, and any claims incident thereto, including attorney fees and costs incurred in defense thereof, arising out of or relating to the failure for any reason of any ladder tested by **National** unless it can be established by a preponderance of the evidence that **National** breached its obligation to test said ladder and accurately report the result thereof in accordance with the terms of this contract and that said ladder was not, as of the date tested, in fact capable of withstanding the standard test established by the said NFPA Standard when tested according to the procedures therein.

6. In the event of suit or litigation arising out of or relating to this agreement, the prevailing party in such action shall be entitled to recover judgment for its reasonable attorney fees as may be awarded by the Court in which such suit or action is tried, heard, or decided, and any appeal there from.

DEPARTMENT'S SPECIAL INSTRUCTIONS: _____

7. **National** will not be bound by any of the Department's Special Instructions unless it has agreed to be bound and signed or initialed the Special Instructions prior to testing. If agreed, **National** shall return a signed copy to the **Department.**

Dated: October 8, 2026

DATED: 10/08/2026

NATIONAL HOSE TESTING SPECIALTIES, INC.

Bob Evans

Bob Evans, President

AUTHORIZED DEPARTMENT REPRESENTATIVE

Signature: SBlack

Title: Fire Chief

Return to: National Hose Testing Specialties, Inc., P.O. Box 1024, Dallas, OR 97338 *or fax to* (503) 623-7424 *or email to* nancy@nhts.com

Note: The terms of this agreement are void if not signed and returned within three months of date of issue (sign & submit copy to **National**).

A ***Convenience Fee of 2.5%*** will be assessed on the total payment amount for ***credit & debit transactions***.

National Hose Testing Specialties, Inc.

2027 NOZZLE and APPLIANCE HYDROSTATIC TESTING AGREEMENT

Date issued: October 8, 2026

Dept. ID # WA294

This agreement is entered into by and between National Hose Testing Specialties, Inc., a corporation (hereinafter known as, **National**) and **"EAST COUNTY FIRE & RESCUE",** a municipal corporation, district, or political subdivision of the State of WASHINGTON (hereinafter known as, **Department**).

THIS DOCUMENT MUST BE SIGNED AND RETURNED PRIOR TO YOUR SERVICE TEST DATE.

1. **Department** hereby engages **National** and **National** agrees to hydrostatic pressure test, conduct physical inspections and to provide test documentation on the fire nozzles and appliances (herein after known as, N/A) of **Department** per **Department's** Special Instructions, if any, and according to the National Fire Protection Association 1962 Standard for the Care, Use, Inspection, Service Testing and Replacement of Fire Hose, Couplings and Nozzles and Fire Hose Appliances, utilizing the 2018 Edition. (Herein after known as, NFPA Standard).
    a. **National** shall conduct a physical inspection, prior to static pressure testing, as specified in the NFPA Standard. All N/A's failing physical inspection shall be identified and tagged for removal from service, without being pressure tested. Department shall be responsible for storing, repairing or discarding any N/A's tagged by National. If Department elects to place back into service any N/A's tagged by National, Department shall be responsible for service testing the N/A prior to placing back into service.
    b. **National** shall conduct service pressure test in accordance with Chapter 23.3 (noz.) and 24.3 (apl.) of NFPA Standard, 2025 Edition.
    c. **National** shall hydrostatically test all N/A's at a maximum pressure of 300 psi in accordance with Chapter 23.3.1.2 (noz.) and 24.3.1.1 (apl.) of NFPA Standard, 2025 Edition. **National** shall pressure test with increased increments as specified in Chapter 23.3.1.5 (noz.) and 24.3.1.3.(apl.) of NFPA Standard, 2025 Edition. **National** shall not test any N/A's higher than 300 psi, this being agreed with the **Department**, by the signing of this agreement.
    d. **Department** shall remove from apparatus or inventory all N/A's to be tested. **Department**, upon completion of test, shall return all N/A to the apparatus or inventory to proper location restoration.
    e. **National**, within thirty (30) days of completed service, shall deliver to **Department** final test documentation. Documentation provided by email includes date of test, service test pressure, size, description, N/A identification number, apparatus or location, test results as to each N/A and a hard copy of summary reports for all N/A's tested. Hard copy and CD available upon request.
    f. **National** shall provide hydrostatic equipment required to perform **Department's** N/A test.
    g. **Department** shall provide **National** a suitable location for performance of the service test. The location shall include an adequate water source for **National's** hydrostatic equipment, which water shall be provided by **Department**.
    h. **Department** shall make available to National all N/A's to be tested at the time and place established for the conduct of the service testing and shall disclose to **National** any known defects or dangerous conditions therein.
    i. **National** will provide identification label for each N/A if not previously assigned and/or legible by **National**.
2. The service test date(s) will be established by agreement between the parties.
3. Based on the N/A estimate provided, **Department** agrees to pay **National** $10.00 dollars per N/A, times 25 N/A's; with actual N/A's tested per documentation being used for billing which may increase or decrease final invoice.
4. Full payment is due upon delivery by **National** of its final test documentation.
5. To the extent of any limitation on liability for public bodies under state law, **Department** agrees to release and to defend, indemnify and hold **National** harmless from any claims, liabilities, demands, damages or actions for property damage, personal injury or death, and any claims incident thereto, including attorney fees and costs incurred in defense thereof, arising out of or relating to the failure for any reason of any N/A tested and certified by **National** unless it can be established by clear and convincing evidence that **National** breached its obligation to test said N/A and accurately report the result thereof in accordance with the terms of this contract and that said N/A was not, as of the date tested, in fact capable of withstanding the standard test pressure established by the said NFPA Standard when tested according to the procedures therein.
6. In the event of suit or litigation arising out of or relating to this agreement, the prevailing party in such action shall be entitled to recover judgment for its reasonable attorney fees as may be awarded by the Court in which such suit or action is tried, heard, or decided, and any appeal there from.

   DEPARTMENT'S SPECIAL INSTRUCTIONS: _____
7. **National** will not be bound by any of Department's Special Instructions unless it has agreed to be bound and signed or initialed the Special Instructions prior to testing. If agreed, **National** shall return an initialed copy to **Department.**

Dated: October 8, 2026

NATIONAL HOSE TESTING SPECIALTIES, INC.

BOB EVANS

Bob Evans, President

DATED: 10/08/2026

AUTHORIZED DEPARTMENT REPRESENTATIVE

Signature: SBlack

Title: Fire Chief

Return to: National Hose Testing Specialties, Inc., P.O. Box 1024, Dallas, OR 97338 *or fax to* (503) 623-7424 *or email to* nancy@nhts.com
Note: The terms of this agreement are void if not signed and returned within three months of date of issue (sign & submit copy to **National**).

A ***Convenience Fee of 2.5%*** will be assessed on the total payment amount for ***credit & debit transactions***.